ORDERING THE WORLD POPULATION PROSPECTS DATA ON CD-ROM OR DVD

The 2010 Revision of the World Population Prospects, prepared by the United Nations Population Division, provides a comprehensive and consistent set of population data for the world's countries and their aggregates.

The results of this Revision are available on three CD-ROM or DVD editions that differ with regard to the data included and their prices (table 1). All three disks contain estimates and projections of national populations by five-year age group and sex for 1950-2100 and demographic indicators for the same period. Data for 1950-2010 are estimates and those thereafter are projections.

The Comprehensive CD-ROM contains for all fertility projection variants (low, medium, high and constant-fertility) all essential data such as total births, total deaths, total net-migration, the respective crude rates, life expectancy at birth by sex, infant and child mortality, summary measures of adult mortality and deaths by broad age groups, total fertility, net-reproduction rate and population growth rates for 1950-2100 by five-year periods. It includes population by five-year age group and sex for five-year periods and interpolated annual total population. In addition, this CD edition provides births and deaths by five-year age group, the corresponding age-specific fertility and mortality rates and abridged life tables (survivors and life expectancies at specific ages). It also comprises standard sets of demographic indicators and population by age group and sex for four other variants (instant-replacement-fertility, zero-migration, constant-mortality and no mortality and fertility change) and for two AIDS mortality scenarios. All data on this CD are presented in Excel worksheets and correspond to the datasets 1 to 3 and 5 to 12 listed in table 1.

The Extended DVD-ROM contains all the data from the Comprehensive CD, plus population figures by single calendar year and single age group for 1950-2100. This DVD also provides interpolated demographic indicators for single calendar years (total births and deaths, their respective crude rates, life expectancy at birth by sex, infant and child mortality, survivors to age 1, total fertility, etc.), urban population, population density and interpolated total population by broad age group and sex, and their respective percentage distributions and sex ratios. The data are presented in Excel and database formats (ASCII comma delimited format for all datasets) and correspond to all datasets listed in table 1.

The first two disks show data for 230 countries and areas, 35 country aggregates, including the world as a whole, the more and the less developed regions, and the major areas. For the AIDS scenarios (datasets 11-12), special aggregations by region and HIV prevalence level in 2009 are provided for 48 countries affected by the HIV/AIDS epidemic.

A new DVD-ROM for Special Aggregates contains a subset of indicators from the Extended dataset (only medium fertility variant), but instead of the breakdown by countries, data are aggregated for 276 functional groupings such as: 30 geographical regions (e.g., Central Asia, etc.), 54 economic and trading groups (e.g., World Bank regions and income groups, NAFTA, OPEC, OECD, G7, G20, BRIC, BRICS, ECOWAS, MERCOSUR, etc.), 32 political groups (e.g., NATO, G77, EU (15, 27, etc.), ASEAN, Arab League, African Union, GCC, SADC, SAARC, Sahel, Maghreb, Mashreq, etc.), 90 United Nations regional groups (e.g., UN Regional Commissions, MDGs, UNICEF, WHO, FAO, UNFPA, Non-Self Governing Territories), and 70 ecological groups (e.g., land-locked developing countries, small island developing states, countries with access to the sea, major international river basins, rainforest basins, extreme weather conditions, etc.).

The Microsoft Excel files correspond to version 97/2003 and later of this software. For a detailed listing of the contents of each disk, see table 2. Data files in database formats are shown in table 3.

For information on how to order any of these disks please see the order form at the end.

| | | areas and standard c regions only) | 276 functional, economical, political, and ecological groupings | |
|---|---------------------|---------------------------------------|---|--|
| Description: Datasets included on CD-ROM or DVD | Comprehensive CD | Extended DVD | Special AggregatesDVD | |
| 0. Location list and meta-infomation about latest data sources used | Excel format | Excel and database formats | Excel and database formats | |
| 1. Period indicators, five-year periods | Excel format | Excel and database formats | Excel and database formats | |
| 2. Stock indicators, five-year periods (and annual population) | Excel format | Excel and database formats | Excel and database formats | |
| 3. Population by five-year age group and sex, five-year periods | Excel format | Excel and database formats | Excel and database formats | |
| 4. Population by five-year age group and sex, annual | | Excel and database formats | | |
| 5. Mortality indicators by age and sex, five-year periods | Excel format | Excel and database formats | Excel and database formats | |
| 6. Fertility indicators by age, five-year periods | Excel format | Excel and database formats | Excel and database formats | |
| 7. Instant-replacement-fertility variant | Excel format | Excel and database formats | | |
| 8. Zero-migration variant | Excel format | Excel and database formats | | |
| 9. Constant-mortality variant | Excel format | Excel and database formats | | |
| 10. No change variant (constant-mortality and constant- fertility) | Excel format | Excel and database formats | | |
| 11. No-AIDS mortality scenario | Excel format | Excel and database formats | | |
| 12. AIDS mortality scenario (medium) | Excel format | Excel and database formats | | |
| 13. Interpolated demographic and population indicators, annual | | Excel and database formats | | |
| 14. Population (by sex and both sexes combined) interpolated by single years of age and single calendar years | | Excel and database formats | | |
| Price (\$US) | \$100 | \$400 | \$1200 | |

Table 1. Summary contents of each CD-ROM or DVD

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|---|---|------------------------------------|--|---------------------|---|
| F0.1 | Location list with codes (numerical and ISO3), description, major area, region and development group; countries with explicit HIV/AIDS mortality modelling in WPP 2010 revision, HIV prevalence rate (%) in population aged 15-49 years in 2009 (UNAIDS, 2011) and by prevalence group, peak of HIV epidemic (year and value for maximum prevalence between 1980-2009), comparison for 2007 HIV prevalence rate between UNAIDS 2008 and 2010 revisions. | C/E SA | 230 270 | | | |
| F0.2 | Latest data sources (summary, type of data and reference date) used to derive estimates for total population, fertility, mortality and migrations by countries or areas (includes information about method used to derive mortality estimates, age mortality pattern and child mortality). | C/E SA | 230 270 | | | |
| Dataset 1. | Period indicators, five-year periods | | | | | |
| F1. | Total fertility | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F2. | Net reproduction rate | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F3. | Crude birth rate | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F4. | Births (both sexes) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F5. | Life expectancy at birth (e0) by sex | C/E SA | 197 270 | Medium-fertility | 1950-1955,2095-2100 | |
| F6.1 | Infant mortality rate, q(1) | C/E SA | 197 270 | Medium-fertility | 1950-1955,2095-2100 | |
| F6.2 | Under-five mortality, q(5) | C/E SA | 197 270 | Medium-fertility | 1980-2000,2095-2100 | |
| F7. | Crude death rate | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F8. | Total number of deaths by sex | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F9. | Total deaths by broad age group and by sex | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, 25-69, 40+, 50+, 60+, 65+, 70+, 80+, 90+ |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|-----------------------|---|
| F10. | Percentage total deaths by broad age group and by sex | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | $\begin{array}{c} 0\text{-}4,0\text{-}14,0\text{-}19,0\text{-}24,5\text{-}14,15\text{+},\\ 15\text{-}24,15\text{-}49,15\text{-}59,15\text{-}64,20\text{+},\\ 20\text{-}64,20\text{-}69,25\text{+},25\text{-}69,40\text{+},\\ 50\text{+},60\text{+},65\text{+},70\text{+},80\text{+},90\text{+} \end{array}$ |
| F11. | Probability of dying between birth and the age of 40 years (40q0) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F12. | Probability of dying between birth and the age of 60 years (60q0) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F13. | Probability of dying between the ages of 15 and 50 years (35q15) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F14. | Probability of dying between the ages of 15 and 60 years (45q15) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F15. | Life expectancy at age 15 (e15) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F16. | Life expectancy at age 15 (e60) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F17. | Life expectancy at age 80 (e80) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| F18. | Net migration rate | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F19. | Net number of migrants (both sexes) | C/E SA | 197 270 | Medium-fertility | 1950-1955,2095-2100 | |
| F20. | Average annual rate of population change | C/E SA | 230 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F21. | Rate of natural increase | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950-1955,2095-2100 | |
| F22. | Sex ratio at birth | C/E SA | 197 270 | Medium-fertility | 1950-1955,2095-2100 | |
| F23. | Female mean age of childbearing | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | |
| Dataset 2. | Stock indicators | | | | | |
| F1. | Total population (both sexes), annual | C/E SA | 230 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1951,2099, 2100 | |
| F2. | Male population, annual | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1951,2099, 2100 | |
| F3. | Female population, annual | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1951,2099, 2100 | |
| F4. | Sex ratio of the total population | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|-----------------------|---|
| F5.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.2A | Child dependency ratio <15/(15-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.2B | Child dependency ratio <20/(20-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.2C | Child dependency ratio <20/(20-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.2D | Child dependency ratio <25/(25-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.2E | Child dependency ratio <25/(25-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.3A | Old-age dependency ratio 65+/(15-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.3B | Old-age dependency ratio 65+/(20-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.3C | Old-age dependency ratio 70+/(20-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.3D | Old-age dependency ratio 65+/(25-64) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.3D | Old-age dependency ratio 70+/(25-69) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.4A | Potential support ratio (15-64)/ 65+ | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.4B | Potential support ratio (20-64)/ 65+ | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.4C | Potential support ratio (20-69)/70+ | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.4D | Potential support ratio (25-64)/65+ | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F5.4E | Potential support ratio (25-69)/70+ | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F6. | Median age of the population | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| F7. | Total population by broad age group and by sex | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | Total, 0-4, 0-14, 0-17, 0-19, 0-24, 5-14, 6-11, 12-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 18+, 18-23, 20+, 20-64, 20-69, 25+, |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|-----------------------|---|
| | | | | | | 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+, etc. |
| F8. | Percentage total population by broad age group and by sex | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | Total, 0-4, 0-14, 0-17, 0-19, 0-24, 5-14, 6-11, 12-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 18+, 18-23, 20+, 20-64, 20-69, 25+, 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+, etc. |
| F9.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | Total, 0-4, 0-14, 0-17, 0-19, 0-24, 5-14, 6-11, 12-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 18+, |
| F9.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | $13-24, 13-49, 13-39, 13-04, 18+, \\18-23, 20+, 20-64, 20-69, 25+, \\25-69, 50+, 60+, 65+, 70+, 75+, \\80+, 85+, 90+, \text{etc.}$ |
| F10. | Population density | C/E SA | 230 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,2095, 2100 | |
| Dataset 3. | Population by age and sex, five-year periods | | | | | |
| F1. | Population by five-year age group | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,1985, 1990 | 0-4, 5-9,75-79, 80+ |
| | (both sexes) | | | | 1995, 2000,2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Male population by five-year age group | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,1985, 1990 | 0-4, 5-9,75-79, 80+ |
| | | | | | 1995, 2000,2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F3. | Female population by five-year age group | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1950, 1955,1985, 1990 | 0-4, 5-9,75-79, 80+ |
| | | | | | 1995, 2000,2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| Dataset 4. | Population by age and sex, annual (interpola | ed from fiv | ve-year period | ls) | | |
| F1A. | Population by five-year age group (both sexes) | Е | 197 | Medium-fertility | 1950, 1951,1994 | 0-4, 5-9,75-79, 80+ |
| F1B. | ۰۰ | " | 44 | " | 1995, 1996,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2A. | Population by five-year age group (male) | Е | 197 | Medium-fertility | 1950, 1951,1994 | 0-4, 5-9,75-79, 80+ |
| F2B. | " | " | " | | 1995, 1996,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F3A. | Population by five-year age group (female) | Е | 197 | Medium-fertility | 1950, 1951,1994 | 0-4, 5-9,75-79, 80+ |
| F3B. | " | " | " | " | 1995, 1996,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| Dataset 5. | Mortality indicators by age and sex, five-year | periods | | | | |
| F1. | Deaths by five-year age group (both sexes) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1995-2000,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F2. | Deaths by five-year age group (male) | C/E | 197 | Low, medium, high, constant-fertility | 1995-2000,2095-2100 | 0-4, 5-9,75-79, 80+ |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|---|
| | | SA | 270 | Medium-fertility only | | |
| F3. | Deaths by five-year age group (female) | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1995-2000,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F4. | Life table l(x) values by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | 0, 1, 5, 10,80, 85 |
| F5. | Life expectancy at age (x) by sex | C/E SA | 197 270 | Medium-fertility | 1995-2000,2095-2100 | 0, 1, 5, 10,95, 100 |
| Dataset 6. | Fertility indicators by age, five-year periods | | | | | |
| F1. | Births by five-year age group of mother | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1995-2000,2095-2100 | 15-19, 20-24,45-49 |
| F2. | Age-specific fertility rates | C/E SA | 197 270 | Low, medium, high, constant-fertility Medium-fertility only | 1995-2000,2095-2100 | 15-19, 20-24,45-49 |
| Dataset 7. | Instant-replacement-fertility variant | | | | | |
| F1. | Population by five-year age group and sex | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Total population (both sexes) | C/E | 230 | Instant-replacement-fertility | 2010, 2011,2099, 2100 | |
| F3.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.2A | Child dependency ratio <15/(15-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.2B | Child dependency ratio <20/(20-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.2C | Child dependency ratio <20/(20-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.2D | Child dependency ratio <25/(25-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.2E | Child dependency ratio <25/(25-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.3A | Old-age dependency ratio 65+/(15-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.3B | Old-age dependency ratio 65+/(20-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.3C | Old-age dependency ratio 70+/(20-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.3D | Old-age dependency ratio 65+/(25-64) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.3E | Old-age dependency ratio 70+/(25-69) | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.4A | Potential support ratio (15-64)/ 65+ | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.4B | Potential support ratio (20-64)/ 65+ | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.4C | Potential support ratio (20-69)/70+ | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.4D | Potential support ratio (25-64)/65+ | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F3.4D | Potential support ratio (25-69)/70+ | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F4. | Median age of the population | C/E | 197 | Instant-replacement-fertility | 2010, 2015, 2095, 2100 | |
| F5. | Total population by broad age group and by sex | C/E | 197 | Instant-replacement-fertility | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|--|
| | | | | | | $\begin{array}{c} 15+,15\text{-}17,15\text{-}24,15\text{-}49,15\text{-}59,\\ 15\text{-}64,20\text{+},20\text{-}64,20\text{-}69,25\text{+},\\ 25\text{-}69,50\text{+},60\text{+},65\text{+},70\text{+},75\text{+},\\ 80\text{+},85\text{+},90\text{+} \end{array}$ |
| F6. | Percentage total population by broad age group and by sex | C/E | 197 | Instant-replacement-fertility | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+ |
| F7.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 197 | Instant-replacement-fertility | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F7.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 197 | Instant-replacement-fertility | 2010, 2015,2095, 2100 | 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+ |
| F8. | Crude birth rate | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| F9. | Births (both sexes) | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| F10. | Total fertility | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| F11. | Crude death rate | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| F12. | Total number of deaths by sex | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| F13. | Total deaths by broad age group and by sex | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-4}, 0\text{-14}, 0\text{-19}, 0\text{-24}, 5\text{-14}, 15\text{+}, \\ 15\text{-24}, 15\text{-49}, 15\text{-59}, 15\text{-64}, 20\text{+}, \\ 20\text{-64}, 20\text{-69}, 25\text{+}, 25\text{-69}, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F14. | Percentage total deaths by broad age group and by sex | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-4}, 0\text{-14}, 0\text{-19}, 0\text{-24}, 5\text{-14}, 15\text{+}, \\ 15\text{-24}, 15\text{-49}, 15\text{-59}, 15\text{-64}, 20\text{+}, \\ 20\text{-64}, 20\text{-69}, 25\text{+}, 25\text{-69}, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F17. | Average annual rate of population change | C/E | 197 | Instant-replacement-fertility | 2010-2015,2095-2100 | |
| Dataset 8. | Zero-migration variant | | | | | |
| F1. | Population by five-year age group and sex | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Total population (both sexes) | C/E | 230 | Zero-migration | 2010, 2011,2099, 2100 | |
| F3.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.1D | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.2A | Child dependency ratio <15/(15-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.2B | Child dependency ratio <20/(20-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.2C | Child dependency ratio <20/(20-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.2D | Child dependency ratio <25/(25-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.2E | Child dependency ratio <25/(25-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|--|
| F3.3A | Old-age dependency ratio 65+/(15-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.3B | Old-age dependency ratio 65+/(20-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.3C | Old-age dependency ratio 70+/(20-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.3D | Old-age dependency ratio 65+/(25-64) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.3E | Old-age dependency ratio 70+/(25-69) | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.4A | Potential support ratio (15-64)/ 65+ | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.4B | Potential support ratio (20-64)/ 65+ | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.4C | Potential support ratio (20-69)/70+ | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.4D | Potential support ratio (25-64)/65+ | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F3.4E | Potential support ratio (25-69)/70+ | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F4. | Median age of the population | C/E | 197 | Zero-migration | 2010, 2015, 2095, 2100 | |
| F5. | Total population by broad age group and by sex | C/E | 197 | Zero-migration | 2010, 2015,2095, 2100 | $\begin{array}{c} \mbox{Total, 0-4, 0-14, 0-19, 0-24, 5-14, } \\ \mbox{15+, 15-17, 15-24, 15-49, 15-59, } \\ \mbox{15-64, 20+, 20-64, 20-69, 25+, } \\ \mbox{25-69, 50+, 60+, 65+, 70+, 75+, } \\ \mbox{80+, 85+, 90+ } \end{array}$ |
| F6. | Percentage total population by broad age group and by sex | C/E | 197 | Zero-migration | 2010, 2015,2095, 2100 | $\begin{array}{c} \mbox{Total, 0-4, 0-14, 0-19, 0-24, 5-14, } \\ \mbox{15+, 15-17, 15-24, 15-49, 15-59, } \\ \mbox{15-64, 20+, 20-64, 20-69, 25+, } \\ \mbox{25-69, 50+, 60+, 65+, 70+, 75+, } \\ \mbox{80+, 85+, 90+ } \end{array}$ |
| F7.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 197 | Zero-migration | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F7.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 197 | Zero-migration | 2010, 2015,2095, 2100 | 25-69, 50+, 20 04, 20 09, 25+, 80+, 85+, 90+ |
| F8. | Crude birth rate | C/E | 197 | Zero-migration | 2010-2015,2095-2100 | |
| F9. | Births (both sexes) | C/E | 197 | Zero-migration | 2010-2015,2095-2100 | |
| F11. | Crude death rate | C/E | 197 | Zero-migration | 2010-2015,2095-2100 | |
| F12. | Total number of deaths by sex | C/E | 197 | Zero-migration | 2010-2015,2095-2100 | |
| F13. | Total deaths by broad age group and by sex | C/E | 197 | Zero-migration | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-}4, 0\text{-}14, 0\text{-}19, 0\text{-}24, 5\text{-}14, 15\text{+}, \\ 15\text{-}24, 15\text{-}49, 15\text{-}59, 15\text{-}64, 20\text{+}, \\ 20\text{-}64, 20\text{-}69, 25\text{+}, 25\text{-}69, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F14. | Percentage total deaths by broad age group and by sex | C/E | 197 | Zero-migration | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-}4, 0\text{-}14, 0\text{-}19, 0\text{-}24, 5\text{-}14, 15\text{+}, \\ 15\text{-}24, 15\text{-}49, 15\text{-}59, 15\text{-}64, 20\text{+}, \\ 20\text{-}64, 20\text{-}69, 25\text{+}, 25\text{-}69, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F17. | Average annual rate of population change | C/E | 197 | Zero-migration | 2010-2015,2095-2100 | |
| Dataset 9. | Constant-mortality variant | | | | | |
| F1. | Population by five-year age group and sex | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | 0-4, 5-9,75-79, 80+, |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|--|
| | | | | | | 80-84,95-99, 100+ |
| F2. | Total population (both sexes) | C/E | 230 | Constant-mortality | 2010, 2011,2099, 2100 | |
| F3.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.2A | Child dependency ratio <15/(15-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.2B | Child dependency ratio <20/(20-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.2C | Child dependency ratio <20/(20-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.2D | Child dependency ratio <25/(25-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.2E | Child dependency ratio <25/(25-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.3A | Old-age dependency ratio 65+/(15-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.3B | Old-age dependency ratio 65+/(20-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.3C | Old-age dependency ratio 70+/(20-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.3D | Old-age dependency ratio 65+/(25-64) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.3E | Old-age dependency ratio 70+/(25-69) | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.4A | Potential support ratio (15-64)/ 65+ | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.4B | Potential support ratio (20-64)/ 65+ | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.4C | Potential support ratio (20-69)/70+ | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.4D | Potential support ratio (25-64)/65+ | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F3.4E | Potential support ratio (25-69)/70+ | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F4. | Median age of the population | C/E | 197 | Constant-mortality | 2010, 2015, 2095, 2100 | |
| F5. | Total population by broad age group and by sex | C/E | 197 | Constant-mortality | 2010, 2015,2095, 2100 | $\begin{array}{c} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14,}\\ {\rm 15+, 15-17, 15-24, 15-49, 15-59,}\\ {\rm 15-64, 20+, 20-64, 20-69, 25+,}\\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+,}\\ {\rm 80+, 85+, 90+} \end{array}$ |
| F6. | Percentage total population by broad age group and by sex | C/E | 197 | Constant-mortality | 2010, 2015,2095, 2100 | $\begin{array}{c} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14,}\\ {\rm 15+, 15-17, 15-24, 15-49, 15-59,}\\ {\rm 15-64, 20+, 20-64, 20-69, 25+,}\\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+,}\\ {\rm 80+, 85+, 90+} \end{array}$ |
| F7.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 197 | Constant-mortality | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F7.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 197 | Constant-mortality | 2010, 2015,2095, 2100 | 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+ |
| F8. | Crude birth rate | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |
| F9. | Births (both sexes) | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |
| F11. | Crude death rate | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |
| F12. | Total number of deaths by sex | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|---|---|------------------------------------|--|------------------------|---|
| F13. | Total deaths by broad age group and by sex | C/E | 197 | Constant-mortality | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-}4,0\text{-}14,0\text{-}19,0\text{-}24,5\text{-}14,15\text{+},\\ 15\text{-}24,15\text{-}49,15\text{-}59,15\text{-}64,20\text{+},\\ 20\text{-}64,20\text{-}69,25\text{+},25\text{-}69,40\text{+},\\ 50\text{+},60\text{+},65\text{+},70\text{+},80\text{+},90\text{+} \end{array}$ |
| F14. | Percentage total deaths by broad age group and by sex | C/E | 197 | Constant-mortality | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-}4,0\text{-}14,0\text{-}19,0\text{-}24,5\text{-}14,15\text{+},\\ 15\text{-}24,15\text{-}49,15\text{-}59,15\text{-}64,20\text{+},\\ 20\text{-}64,20\text{-}69,25\text{+},25\text{-}69,40\text{+},\\ 50\text{+},60\text{+},65\text{+},70\text{+},80\text{+},90\text{+} \end{array}$ |
| F15. | Deaths by five-year age group and sex | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F16. | Life expectancy at birth by sex | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |
| F17. | Average annual rate of population change | C/E | 197 | Constant-mortality | 2010-2015,2095-2100 | |
| Dataset 10. | . No change variant (constant-mortality and co | onstant-fer | tility) | | • | |
| F1. | Population by five-year age group and sex | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Total population (both sexes) | C/E | 230 | Constant mortality and fertility | 2010, 2011,2099, 2100 | |
| F3.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.2A | Child dependency ratio <15/(15-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.2B | Child dependency ratio <20/(20-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.2C | Child dependency ratio <20/(20-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.2D | Child dependency ratio <25/(25-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.2E | Child dependency ratio <25/(25-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.3A | Old-age dependency ratio 65+/(15-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.3B | Old-age dependency ratio 65+/(20-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.3C | Old-age dependency ratio 70+/(20-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.3D | Old-age dependency ratio 65+/(25-64) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.3E | Old-age dependency ratio 70+/(25-69) | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.4A | Potential support ratio (15-64)/ 65+ | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.4B | Potential support ratio (20-64)/ 65+ | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.4C | Potential support ratio (20-69)/70+ | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.4D | Potential support ratio (25-64)/65+ | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F3.4E | Potential support ratio (25-69)/70+ | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F4. | Median age of the population | C/E | 197 | Constant mortality and fertility | 2010, 2015, 2095, 2100 | |
| F5. | Total population by broad age group and by sex | C/E | 197 | Constant mortality and fertility | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------------|--|
| | | | | | | 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+ |
| F6. | Percentage total population by broad age group and by sex | C/E | 197 | Constant mortality and fertility | 2010, 2015,2095, 2100 | $ \begin{array}{l} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14, } \\ {\rm 15+, 15-17, 15-24, 15-49, 15-59, } \\ {\rm 15-64, 20+, 20-64, 20-69, 25+, } \\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+, } \\ {\rm 80+, 85+, 90+ } \end{array} $ |
| F7.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 197 | Constant mortality and fertility | 2010, 2015,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F7.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 197 | Constant mortality and fertility | 2010, 2015,2095, 2100 | 25-69, 50+, 20-04, 20-09, 25+, 80+, 85+, 90+ |
| F8. | Crude birth rate | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F9. | Births (both sexes) | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F10. | Population density | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F11. | Crude death rate | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F12. | Total number of deaths by sex | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F13. | Total deaths by broad age group and by sex | C/E | 197 | Constant mortality and fertility | 2010-2015,2095, 2100 | $\begin{matrix} 0-4, 0-14, 0-19, 0-24, 5-14, 15+, \\ 15-24, 15-49, 15-59, 15-64, 20+, \\ 20-64, 20-69, 25+, 25-69, 40+, \\ 50+, 60+, 65+, 70+, 80+, 90+ \end{matrix}$ |
| F14. | Percentage total deaths by broad age group and by sex | C/E | 197 | Constant mortality and fertility | 2010-2015,2095, 2100 | $\begin{array}{c} 0\text{-}4, 0\text{-}14, 0\text{-}19, 0\text{-}24, 5\text{-}14, 15\text{+}, \\ 15\text{-}24, 15\text{-}49, 15\text{-}59, 15\text{-}64, 20\text{+}, \\ 20\text{-}64, 20\text{-}69, 25\text{+}, 25\text{-}69, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F15. | Deaths by five-year age group and sex | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F16. | Life expectancy at birth by sex | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| F17. | Average annual rate of population change | C/E | 197 | Constant mortality and fertility | 2010-2015,2095-2100 | |
| Dataset 11. | AIDS Mortality Scenarios for 48 countries af No-AIDS mortality scenario | fected by th | ne HIV/AIDS | epidemic and 12 special aggregations | s (by region and HIV prevale | ence level in 2009) |
| 11.1 | Period indicators | | | | | |
| F2. | Net reproduction rate | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F3. | Crude birth rate | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F4. | Births (both sexes) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F5. | Life expectancy at birth by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F6.1 | Infant mortality rate, q(1) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F6.2 | Under-five mortality, q(5) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F7. | Crude death rate | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F8.1 | Total number of deaths (both sexes) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F8.2 | Total number of male deaths | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F8.3 | Total number of female deaths | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F9. | Total deaths by broad age group and by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0-4, 0-14, 0-19, 0-24, 5-14, 15+, |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|-----------------------|--|
| | | | | | | 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, 25-69, 40+, 50+, 60+, 65+, 70+, 80+, 90+ |
| F10. | Percentage total deaths by broad age group and by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | $\begin{matrix} 0-4,0-14,0-19,0-24,5-14,15+,\\ 15-24,15-49,15-59,15-64,20+,\\ 20-64,20-69,25+,25-69,40+,\\ 50+,60+,65+,70+,80+,90+ \end{matrix}$ |
| F11. | Probability of dying between birth and the age of 40 years (40q0) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F12. | Probability of dying between birth and the age of 60 years (60q0) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F13. | Probability of dying between the ages of 15 and 50 years (35q15) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F14. | Probability of dying between the ages of 15 and 60 years (45q15) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F15. | Life expectancy at age 15 (e15) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F16. | Life expectancy at age 15 (e60) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F17. | Life expectancy at age 80 (e80) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F20. | Average annual rate of population change | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| F21. | Rate of natural increase | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | |
| 11.2 | Stock indicators | | | | | |
| F1. | Total population (both sexes), annual | C/E | 48 | No-AIDS mortality | 1980, 1981,2099, 2100 | |
| F2. | Male population, annual | C/E | 48 | No-AIDS mortality | 1980, 1981,2099, 2100 | |
| F3. | Female population, annual | C/E | 48 | No-AIDS mortality | 1980, 1981,2099, 2100 | |
| F4. | Sex ratio of the total population | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2A | Child dependency ratio <15/(15-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2B | Child dependency ratio <20/(20-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2C | Child dependency ratio <20/(20-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2D | Child dependency ratio <25/(25-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2E | Child dependency ratio <25/(25-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3A | Old-age dependency ratio 65+/(15-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3B | Old-age dependency ratio 65+/(20-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3C | Old-age dependency ratio 70+/(20-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3D | Old-age dependency ratio 65+/(25-64) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|--|
| F5.3E | Old-age dependency ratio 70+/(25-69) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4A | Potential support ratio (15-64)/ 65+ | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4B | Potential support ratio (20-64)/ 65+ | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4C | Potential support ratio (20-69)/70+ | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4D | Potential support ratio (25-64)/65+ | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4E | Potential support ratio (25-69)/70+ | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F6. | Median age of the population | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | |
| F7. | Total population by broad age group and by sex | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | $\begin{array}{c} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14,}\\ {\rm 15+, 15-17, 15-24, 15-49, 15-59,}\\ {\rm 15-64, 20+, 20-64, 20-69, 25+,}\\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+,}\\ {\rm 80+, 85+, 90+} \end{array}$ |
| F8. | Percentage total population by broad age group and by sex | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | $\begin{array}{c} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14,}\\ {\rm 15+, 15-17, 15-24, 15-49, 15-59,}\\ {\rm 15-64, 20+, 20-64, 20-69, 25+,}\\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+,}\\ {\rm 80+, 85+, 90+} \end{array}$ |
| F9.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F9.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 48 | No-AIDS mortality | 1980, 1985,2095, 2100 | 25-69, 50+, 20-04, 20-09, 25+, 80+, 85+, 90+ |
| 11.3 | Population by age and sex, five-year periods | | | | | |
| F1. | Population by five-year age group (both sexes) | C/E | 48 | No-AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Male population by five-year age group | C/E | 48 | No-AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F3. | Female population by five-year age group | C/E | 48 | No-AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| 11.4 | Population by age and sex, annual | • | | | • | |
| F1. | Population by five-year age group | C/E | 48 | No-AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Population by five-year age group (male) | C/E | 48 | No-AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F3. | Population by five-year age group (female) | C/E | 48 | No-AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| 11.5 | Mortality indicators by age and sex, five-year | r periods | | | | |
| F1. | Deaths by five-year age group (both sexes) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F2. | Deaths by five-year age group (male) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F3. | Deaths by five-year age group (female) | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F4. | Life table l(x) values by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0, 1, 5, 10,80, 85 |
| F5. | Life expectancy at age (x) by sex | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 0, 1, 5, 10,95, 100 |
| 11.6 | Fertility indicators by age, five-year periods | | | | | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|-----------------------|--|
| F1. | Births by five-year age group of mother | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 15-19, 20-24,45-49 |
| F2. | Age-specific fertility rates | C/E | 48 | No-AIDS mortality | 1980-1985,2095-2100 | 15-19, 20-24,45-49 |
| Dataset 12. | AIDS mortality scenario (same as medium) | | | | | |
| 12.1 | Period indicators | | | | | |
| F2. | Net reproduction rate | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F3. | Crude birth rate | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F4. | Births (both sexes) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F5. | Life expectancy at birth by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F6.1 | Infant mortality rate, q(1) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F6.2 | Under-five mortality, q(5) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F7. | Crude death rate | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F8.1 | Total number of deaths (both sexes) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F8.2 | Total number of male deaths | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F8.3 | Total number of female deaths | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F9. | Total deaths by broad age group and by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | $\begin{array}{c} 0\text{-4}, 0\text{-14}, 0\text{-19}, 0\text{-24}, 5\text{-14}, 15\text{+}, \\ 15\text{-24}, 15\text{-49}, 15\text{-59}, 15\text{-64}, 20\text{+}, \\ 20\text{-64}, 20\text{-69}, 25\text{+}, 25\text{-69}, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F10. | Percentage total deaths by broad age group and by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | $\begin{array}{c} 0\text{-4}, 0\text{-14}, 0\text{-19}, 0\text{-24}, 5\text{-14}, 15\text{+}, \\ 15\text{-24}, 15\text{-49}, 15\text{-59}, 15\text{-64}, 20\text{+}, \\ 20\text{-64}, 20\text{-69}, 25\text{+}, 25\text{-69}, 40\text{+}, \\ 50\text{+}, 60\text{+}, 65\text{+}, 70\text{+}, 80\text{+}, 90\text{+} \end{array}$ |
| F12. | Probability of dying between birth and the age of 40 years (40q0) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F12. | Probability of dying between birth and the age of 60 years (60q0) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F13. | Probability of dying between the ages of 15 and 50 years (35q15) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F14. | Probability of dying between the ages of 15 and 60 years (45q15) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F15. | Life expectancy at age 15 (e15) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F16. | Life expectancy at age 15 (e60) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F17. | Life expectancy at age 80 (e80) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F20. | Average annual rate of population change | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| F21. | Rate of natural increase | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | |
| 12.2 | Stock indicators | | | | | |
| F1. | Total population (both sexes), annual | C/E | 48 | AIDS mortality | 1980, 1981,2099, 2100 | |
| F2. | Male population, annual | C/E | 48 | AIDS mortality | 1980, 1981,2099, 2100 | |
| F3. | Female population, annual | C/E | 48 | AIDS mortality | 1980, 1981,2099, 2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|--|
| F4. | Sex ratio of the total population | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1A | Total dependency ratio (<15 & 65+)/(15-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1B | Total dependency ratio (<20 & 65+)/(20-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1C | Total dependency ratio (<20 & 70+)/(20-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1D | Total dependency ratio (<25 & 65+)/(25-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.1E | Total dependency ratio (<25 & 70+)/(25-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2A | Child dependency ratio <15/(15-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2B | Child dependency ratio <20/(20-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2C | Child dependency ratio <20/(20-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2D | Child dependency ratio <25/(25-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.2E | Child dependency ratio <25/(25-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3A | Old-age dependency ratio 65+/(15-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3B | Old-age dependency ratio 65+/(20-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3C | Old-age dependency ratio 70+/(20-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3D | Old-age dependency ratio 65+/(25-64) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.3E | Old-age dependency ratio 70+/(25-69) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4A | Potential support ratio (15-64)/ 65+ | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4B | Potential support ratio (20-64)/ 65+ | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4C | Potential support ratio (20-69)/70+ | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4D | Potential support ratio (25-64)/65+ | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F5.4E | Potential support ratio (25-69)/70+ | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F6. | Median age of the population | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | |
| F7. | Total population by broad age group and by sex | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | $\begin{array}{c} Total, 0-4, 0-14, 0-19, 0-24, 5-14, \\ 15+, 15-17, 15-24, 15-49, 15-59, \\ 15-64, 20+, 20-64, 20-69, 25+, \\ 25-69, 50+, 60+, 65+, 70+, 75+, \\ 80+, 85+, 90+ \end{array}$ |
| F8. | Percentage total population by broad age group and by sex | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | $\begin{array}{c} {\rm Total, 0-4, 0-14, 0-19, 0-24, 5-14,}\\ {\rm 15+, 15-17, 15-24, 15-49, 15-59,}\\ {\rm 15-64, 20+, 20-64, 20-69, 25+,}\\ {\rm 25-69, 50+, 60+, 65+, 70+, 75+,}\\ {\rm 80+, 85+, 90+} \end{array}$ |
| F9.1 | Sex ratio by broad age group (males per 100 females by age group) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | Total, 0-4, 0-14, 0-19, 0-24, 5-14, 15+, 15-17, 15-24, 15-49, 15-59, 15-64, 20+, 20-64, 20-69, 25+, |
| F9.2 | Feminity ratio by broad age group (females per 100 males by age group) | C/E | 48 | AIDS mortality | 1980, 1985,2095, 2100 | 25-69, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+ |
| 12.3 | Population by age and sex, five-year periods | | | | | |
| F1. | Population by five-year age group (both sexes) | C/E | 48 | AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Male population by five-year age group | C/E | 48 | AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|---|
| F3. | Female population by five-year age group | C/E | 48 | AIDS mortality | 1980, 1985, 2095, 2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| 12.4 | Population by age and sex, annual | | | | • | |
| F1. | Population by five-year age group | C/E | 48 | AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F2. | Population by five-year age group (male) | C/E | 48 | AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| F3. | Population by five-year age group (female) | C/E | 48 | AIDS mortality | 1980, 1981,2100 | 0-4, 5-9,75-79, 80+, 80-84,95-99, 100+ |
| 12.5 | Mortality indicators by age and sex, five-year | r periods | | | | |
| F1. | Deaths by five-year age group (both sexes) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F2. | Deaths by five-year age group (male) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F3. | Deaths by five-year age group (female) | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 0-4, 5-9,75-79, 80+ |
| F4. | Life table l(x) values by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 0, 1, 5, 10,80, 85 |
| F5. | Life expectancy at age (x) by sex | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 0, 1, 5, 10,95, 100 |
| 12.6 | Fertility indicators by age, five-year periods | | | | | |
| F1. | Births by five-year age group of mother | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 15-19, 20-24,45-49 |
| F2. | Age-specific fertility rates | C/E | 48 | AIDS mortality | 1980-1985,2095-2100 | 15-19, 20-24,45-49 |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups | | | | | |
|---------------------|--|---|------------------------------------|--|-----------------------|------------|--|--|--|--|--|
| Interpolate | terpolated annual demographic indicators and interpolated annual populations by single age | | | | | | | | | | |
| F1. | Interpolated demographic indicators | | | | | | | | | | |
| | Mortality indicators | | | 1 | | | | | | | |
| | Total number of deaths by sex | E SA | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Crude death rate | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Life expectancy at birth by sex | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Infant deaths (under age 1) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Infant mortality rate, q(1) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Survivors to age 1 | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Under-five mortality, q(5) | Е | 197 270 | Medium-fertility | 1980, 1981,2099, 2100 | | | | | | |
| | Fertility indicators | | | | | | | | | | |
| | Births (both sexes) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Crude birth rate | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Total fertility | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Natural change indicators | · | | · | | | | | | | |
| | Total population natural change (i.e., Births- Deaths) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Rate of natural increase | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | International migration indicators | | | | | | | | | | |
| | Net number of migrants (both sexes) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Net migration rate | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Population change indicators (including mig | ation) | | | | | | | | | |
| | Total population change per year (i.e., Births- Deaths+Migrations) | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Annual rate of population change | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |
| | Total population annual doubling time | Е | 197 270 | Medium-fertility | 1950, 1951,2099, 2100 | | | | | | |

| Dataset and File F2. | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|----------------------------|---|---|------------------------------------|--|------------------------|---|
| | Interpolated population indicators | _ | 107 | | | |
| F2A. | Interpolated population by broad age group and by sex | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | Total alive between birth and age 1, 0-4, 0-14, 0-19, 0-24, 5-14, pre-primary school ages (3-4, 3- 5, 3-6, 4-5, 4-6), primary school ages (5-10, 5-11, 6-9, 6-10, 6-11, 6-12, 7-10, 7-12), secondary school ages (11-16, 11-17, 11-18, 12-14, 12-16, 12-17, 12-18, 13- 17, 13-18, 13-19), school ages (15-17, 18-23), 15-24, 15-49, 15- 59, 15-64, 20-64, 20-69, 25-49, 25-64, 25-69, 15+, 16+, 17+, 18+, 20+, 21+, 25+, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+, etc. |
| | Interpolated total population by sex | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Interpolated total urban population | Е | 197 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| F2B. | Percentage of total population by broad age group and by sex | E | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | Total alive between birth and age 1, 0-4, 0-14, 0-19, 0-24, 5-14, pre-primary school ages (3-4, 3- 5, 3-6, 4-5, 4-6), primary school ages (5-10, 5-11, 6-9, 6-10, 6-11, 6-12, 7-10, 7-12), secondary school ages (11-16, 11-17, 11-18, 12-14, 12-16, 12-17, 12-18, 13- 17, 13-18, 13-19), school ages (15-17, 18-23), 15-24, 15-49, 15- 59, 15-64, 20-64, 20-69, 25-49, 25-64, 25-69, 15+, 16+, 17+, 18+, 20+, 21+, 25+, 50+, 60+, 65+, 70+, 75+, 80+, 85+, 90+, etc. |
| | Interpolated percentage urban population | Е | 195 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Interpolated total population density | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| F2C. | Interpolated population ratios | | | | | |
| | Total dependency ratio (<15 & 65+)/(15-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Total dependency ratio (<20 & 65+)/(20-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Total dependency ratio (<20 & 70+)/(20-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |

| Dataset and File | Indicators | CD-ROM / DVD Edition ¹ | Number of countries or areas | Projection variants or scenarios (starting in 2010) | Periods covered | Age groups |
|---------------------|--|---|------------------------------------|--|------------------------|-------------------------------|
| | Total dependency ratio (<25 & 65+)/(25-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Total dependency ratio (<25 & 70+)/(25-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Child dependency ratio <15/(15-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Child dependency ratio <20/(20-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Child dependency ratio <20/(20-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Child dependency ratio <25/(25-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Child dependency ratio <25/(25-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Old-age dependency ratio 65+/(15-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Old-age dependency ratio 65+/(20-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Old-age dependency ratio 70+/(20-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Old-age dependency ratio 65+/(25-64) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Old-age dependency ratio 70+/(25-69) | Е | 197 270 | Medium-fertility | 1950, 1951, 2099, 2100 | |
| | Interpolated annual populations by single ag | e | | | · | |
| F3. | Population by single age (both sexes) | Е | 197 270 | Medium-fertility | 1950, 1951,1994 | 0, 1, 2, 79, 80+ |
| | | | | | 1995, 1996,2100 | 0, 1, 2, 79, 80+, 81 99, 100+ |
| F4. | Population by single age (male) | Е | 197 270 | Medium-fertility | 1950, 1951,1994 | 0, 1, 2, 79, 80+ |
| | | | | | 1995, 1996,2100 | 0, 1, 2, 79, 80+, 81 99, 100+ |
| F5. | Population by single age (female) | Е | 197 270 | Medium-fertility | 1950, 1951,1994 | 0, 1, 2, 79, 80+ |
| | | | | | 1995, 1996,2100 | 0, 1, 2, 79, 80+, 81 99, 100+ |

Note: (1) CD-ROM or DVD editions are: C = Comprehensive (CD-ROM), E = Extended (DVD), SA = Special Aggregates (DVD)

Datasets 11 to 12 present, in addition to the default AIDS mortality scenario (medium), three other AIDS scenarios for 48 countries affected by the HIV/AIDS epidemic: the No-AIDS scenario applies the mortality likely to be exhibited by the non-infected population to the whole population, thus excluding the direct impacts of the epidemic. The estimates associated with the No-AIDS scenario (that is, the figures for 1980-2010) differ from the estimates of the other variants because AIDS started affecting the populations in the majority of the highly-affected countries around 1980. By comparing these results with those of the estimates and medium variant that include explicitly the effects of the HIV/AIDS epidemic, the user can infer the impact of the epidemic.

TABLE 3. DATA FILES IN DATABASE FORMAT INCLUDED IN THE EXTENDED DVD EDITION (similar structure for Special Agreggates DVD but different set of records and only for medium fertility variant)

| Topic / Data file | Description | Data file format ¹ | Number of indicators ² | Number of records |
|---|---|----------------------------------|---|----------------------|
| WPP2010_F01_Locations.csv and .dat file with Stata/SPSS/SAS dictionary | Location list with codes (numerical and ISO3), description, major area, region and development group; countries with explicit HIV/AIDS mortality modelling in WPP 2010 revision, HIV prevalence rate (%) in population aged 15-49 years in 2009 (UNAIDS, 2010) and by prevalence group, peak of HIV epidemic (year and value for maximum prevalence between 1980-2009), comparison for 2007 HIV prevalence rate between UNAIDS 2008 and 2010 revisions. | CSV & DAT | 29 | 279 |
| WPP2010_F02_MetaInfo.csv and .dat file with Stata/SPSS/SAS dictionary | Latest data sources (summary, type of data and reference date) used to derive estimates for total population, fertility, mortality and migrations by countries or areas (includes information about method used to derive mortality estimates, age mortality pattern and child mortality). | CSV & DAT | 43 | 279 |
| DB01. Period indicators | | | | |
| WPP2010_DB01_Period_Indicators.csv and .dat file with Stata/SPSS/SAS dictionary | All period indicators (total fertility, net reproduction rate, crude birth rate, births, mean age of childbearing, life expectancy at birth (by sex), infant mortality rate, under- five mortality, crude death rate, total number of deaths (by sex) and by broad age group, percentage total deaths by broad age group and by sex, probability of dying between birth and the age of 40 or 60 years (by sex), adult probability of dying between age 15 and 50 or 60 (by sex), life expectancy at age 15, 60 and 80 (by sex), net migration rate, net number of migrants, average annual rate of population change, rate of natural increase, sex ratio at birth) by major area, region and country, for estimates and all 9 projection variants or scenarios, 1950- 2100. Data only for 1980-2100 for AIDS scenarios. | CSV & DAT | 172 | 66,847 |
| DB02. Stock indicators | | • | • | |
| WPP2010_DB02_Populations_Annual.csv and .dat file with Stata/SPSS/SAS dictionary | Total population (by sex and both sexes combined), average annual rate of population change, and population density by major area, region and country, for estimates and all 9 projection variants or scenarios, annually for 1950-2100. Data only for 1980-2100 for AIDS scenarios. | CSV & DAT | 5 | 332,880 |
| WPP2010_DB02_Populations_Broad_Age_Groups.csv and .dat file with Stata/SPSS/SAS dictionary | Total population by broad age groups (by sex and both sexes combined) by major area, region and country, for estimates and all 9 projection variants or scenarios, 1950- 2100. Data only for 1980-2100 for AIDS scenarios. | CSV & DAT | 171 | 60,636 |
| WPP2010_DB02_Stock_Indicators.csv and .dat file with Stata/SPSS/SAS dictionary | Stock indicators: total population by sex, dependency ratios (total, child, old-age) for different age groups, | CSV & | 196 | 60,389 |

TABLE 3. DATA FILES IN DATABASE FORMAT INCLUDED IN THE EXTENDED DVD EDITION (similar structure for Special Agreggates DVD but different set of records and only for medium fertility variant)

| Topic / Data file | Description | Data file format ¹ | Number of indicators ² | Number of records |
|---|---|----------------------------------|---|----------------------|
| | median age, population density, percentage by broad age group and by sex, by major area, region and country, for estimates and all 9 projection variants or scenarios, 1950- 2100. Data only for 1980-2100 for AIDS scenarios. | DAT | | |
| WPP2010_DB02_Stock_Indicators_SexRatios.csv and .dat file with Stata/SPSS/SAS dictionary | Stock indicators: sex ratio (M/F) and feminity ratio (F/M) by broad age groups, by major area, region and country, for estimates and all 9 projection variants or scenarios, 1950-2100. Data only for 1980-2100 for AIDS scenarios. | CSV & DAT | 114 | 60,389 |
| DB03. Population by age and sex, five-year periods | Population by age group and sex, by major area, region and projection variants or scenarios, 1950-2100. Data only for 1 | country, for 980-2100 fo | estimates and r AIDS scenar | all 9 ios. |
| WPP2010_DB03_Population_Quinquennial.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex and age in rows. | CSV & DAT | 1 | 3,763,035 |
| WPP2010_DB03_Population_By_Sex_Quinquennial.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in column and age in row. | CSV & DAT | 3 | 1,254,345 |
| WPP2010_DB03_Population_By_Age_Quinquennial.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in row and age from 0 to 100+ in column. | CSV & DAT | 22 | 182,745 |
| DB04. Population by age and sex, annual | Population by age group and sex, by major area, region and (estimates and Medium variant, and 2 AIDS mortality scenarios. | country, and arios). Data o | nually for 1950 only for 1980-2 | -2100 2100 for |
| WPP2010_DB04_Population_Annual.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex and age in rows. | CSV & DAT | 1 | 3,136,458 |
| WPP2010_DB04_Population_By_Sex_Annual.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in column and age in row. | CSV & DAT | 3 | 1,045,486 |
| WPP2010_DB04_Population_By_Age_Annual.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in row and age from 0 to 100+ in column. | CSV & DAT | 22 | 151,014 |
| DB05. Mortality indicators by age and sex | Total deaths by age group and sex, by major area, region ar projection variants or scenarios,1995-2100. Data only for 1 | d country, fo 980-2100 for | or estimates and AIDS scenari | d all 9 os. |
| WPP2010_DB05_Deaths.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex and age in rows. | CSV & DAT | 1 | 2,431,935 |
| WPP2010_DB05_Deaths_By_Sex.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in column and age in row. | CSV & DAT | 3 | 810,645 |
| WPP2010_DB05_Deaths_By_Age.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in row and age from 0 to 100+ in column. | CSV & DAT | 22 | 143,055 |

TABLE 3. DATA FILES IN DATABASE FORMAT INCLUDED IN THE EXTENDED DVD EDITION (similar structure for Special Agreggates DVD but different set of records and only for medium fertility variant)

| Topic / Data file | Description | Data file format ¹ | Number of indicators ² | Number of records |
|---|--|----------------------------------|---|----------------------|
| | Life Table (by sex and both sexes combined) by major area, (estimates, medium variant with AIDS mortality and No-AI 1980-2100 for AIDS scenarios. | region and DS mortality | country, 1995- y scenarios). D | 2100 ata only for |
| WPP2010_DB05_Life_Table.csv and .dat file with Stata/SPSS/SAS dictionary | Life table survivors, $l(x)$, and life expectancy at exact age, $e(x)$, by sex and both sexes combined. Database format with sex and age in rows. | CSV & DAT | 2 | 474,012 |
| WPP2010_DB05_Life_Table_lx_By_Age.csv and .dat file with Stata/SPSS/SAS dictionary | Life table survivors, $l(x)$, at exact age (x) by sex and both sexes combined. Database format with sex in row and age from 0 to 85 in column. | CSV & DAT | 18 | 21,546 |
| WPP2010_DB05_Life_Table_ex_By_Age.csv and .dat file with Stata/SPSS/SAS dictionary | Life expectancy at exact age, $e(x)$, by sex and both sexes combined. Database format with sex in row and age from 0 to 100 in column. | CSV & DAT | 21 | 21,546 |
| DB06. Fertility indicators by age | Births by age group of mother and age-specific fertility rates for estimates and all 9 projection variants or scenarios, 1995 AIDS scenarios. | | | |
| WPP2010_DB06_Fertility_Indicators.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with indicators in column and age groups in row. | CSV & DAT | 2 | 294,987 |
| WPP2010_DB06_Fertility_Indicators_By_Age.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with indicators by age group in column. | CSV & DAT | 14 | 42,141 |
| INT. Interpolated annual indicators and populations by single age | • | • | | |
| WPP2010_INT_F1_Annual_Demographic_Indicators.csv and .dat file with Stata/SPSS/SAS dictionary | Interpolated demographic indicators by major area, region and country, annually for 1950-2100 (estimates and all 9 projection variants or scenarios). | CSV & DAT | 21 | 34,800 |
| WPP2010_INT_F2A_Annual_Population_Indicators.csv and .dat file with Stata/SPSS/SAS dictionary | Interpolated total population by broad age group and by sex, and urban population, by major area, region and country, annually for 1950-2100 (medium fertility and AIDS mortality variants) | CSV & DAT | 175 | 35,032 |
| WPP2010_INT_F2B_Annual Population Indicators_Percentage.csv and .dat file with Stata/SPSS/SAS dictionary | Percentage of total population by broad age group by sex, dependency ratios (total, child, old-age) for different age groups and by sex, percentage urban and population density, by major area, region and country, annually for 1950-2100 (medium fertility and AIDS mortality variants) | CSV & DAT | 176 | 50,036 |
| WPP2010_INT_F2C_Annual_Population_Indicators_DependencyRatios.csv and .dat file with Stata/SPSS/SAS dictionary | Dependency ratios (total, child, old-age) for different age groups and by sex, and by major area, region and country, annually interpolated for 1950-2100 (medium fertility and AIDS mortality variants) | CSV & DAT | 60 | 35,032 |

TABLE 3. DATA FILES IN DATABASE FORMAT INCLUDED IN THE EXTENDED DVD EDITION (similar structure for Special Agreggates DVD but different set of records and only for medium fertility variant)

| Topic / Data file | Description | Data file format ¹ | Number of indicators ² | Number of records |
|---|---|----------------------------------|---|----------------------|
| | Population (by sex and both sexes combined) interpolated by calendar years, by major area, region and country, annually variant). | | | |
| WPP2010_INT_F3_Population_Annual_Single_Medium.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex and age in rows. | CSV & DAT | 1 | 10,148,814 |
| WPP2010_INT_F3_Population_By_Sex_Annual_Single_Medium.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in column and age in row. | CSV & DAT | 3 | 3,382,938 |
| WPP2010_INT_F3_Population_By_Age_Annual_Single_Medium.csv and .dat file with Stata/SPSS/SAS dictionary | Database format with sex in row and age from 0 to 100+ in column. | CSV & DAT | 102 | 106,002 |

(1) File format is: CSV for ASCII comma delimited data files (.csv) with field names in header. An ASCII version in fixed-format (.DAT) is also included with Stata/SPSS/SAS dictionary.

(2) Number of indicators does not include descriptive fields like codes and names for location, projection variant/scenario, calendar year or period, age groups and/or sex.

UNITED NATIONS



NATIONS UNIES

POPULATION DIVISION Department of Economic and Social Affairs

World Population Prospects: The 2010 Revision - CD-ROM or DVD Edition

Date: _____

Order Form

CD-ROM or DVD requested

| Disk | Description | Price in US\$ | Quantity | Total Price in US\$ |
|------|--|------------------|----------|---------------------------|
| [] | Comprehensive dataset (Excel format) – CD-ROM | \$ 100 | | |
| [] | Extended dataset (Excel and ASCII formats) – DVD | \$ 400 | | |
| [] | Special Aggregates (Excel and ASCII formats) - DVD | \$1200 | | |
| | | Total | | |

SHIP TO:

| Name: | |
|--------------|---------|
| Institution: | |
| Address: | |
| Telephone: | Fax No: |
| e-mail addre | 255 |

For overnight or express mail delivery, please provide a billing account number:

Notes

- 1. Data contained in the above datasets are copyrighted by the United Nations. No portion of the data files contained on CD-ROM or DVD can be reproduced, distributed or used to prepare derivative works or for any other purpose without the express permission of the United Nations, to be obtained from the Secretary of the United Nations Publications Board. For further information, please contact the Director, Population Division/DESA, United Nations, New York, NY 10017, U.S.A., telephone no. 1-212-963-3179; fax no. 1-212-963-2147.
- 2. The order form should be accompanied by a cheque or an international money order in **US dollars drawn on a United States Bank** for the correct amount, payable to the UNITED NATIONS POPULATION DIVISION and mailed to: The Director, Population Division/DESA, United Nations, DC2-1960, New York, NY 10017, U.S.A. **Credit cards are not accepted**.